

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. NOCAR.007A	APPLICATION NO. 10785,446
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Otsuki et al.	
(USE SEVERAL SHEETS IF NECESSARY)		FILING DATE February 23, 2004	GROUP 1614



## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
	1	5,290,782	03/01/94	Suzuki et al.		
	2	5,395,836	03/07/95	Shimada et al.		
	3	5,446,046	08/29/95	Belardinelli et al.		
	4	5,532,368	07/02/96	Kufner-Muhl et al.		
	5	5,599,817	02/04/97	Adamus et al.		
	6	5,631,260	05/20/97	Belardinelli et al.		
	7	5,641,784	06/24/97	Kufner-Mühl et al.		
	8	5,668,139	09/16/97	Belardinelli et al.		
	9	5,688,802	11/18/97	Kufner-Muhl et al.		
	10	5,696,124	12/09/97	Kufner-Muhl et al.		
	11	6,187,780	02/13/01	Blech et al.		
	12	6,210,687	04/03/01	Hosokawa et al.		
	13	US 2002/0115687	08/22/02	Beckman et al.		
	14	10/785,446	02/23/04	Otsuki et al.		

## FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
	15	WO 01/34604	05/17/01	PCT			
	16	WO 99/55339	11/04/99	PCT			
	17	WO 99/54331	10/28/99	PCT			
	18	WO 94/03456	02/17/94	PCT			

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
	19	Aki et al.; "Effects of KW-3902, a Selective and Potent Adenosine A1 Receptor Antagonist, on Renal Hemodynamics and Urine Formation in Anesthetized Dogs," <i>Pharmacology</i> (1997); 55:193-201
	20	Barrett Richard J., "Realizing the Potential of Adenosine-Receptor-Based Therapeutics," <i>Proc. West. Pharmacol. Soc.</i> (1996); 39:61-66

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /LAR/ (04/09/2009)

EXAMINER	/Leslie A. Royds/ (04/09/2009)	DATE CONSIDERED
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.		

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. NOCAR.007A	APPLICATION NO. 107/85,446
INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (USE SEVERAL SHEETS IF NECESSARY)		APPLICANT Otsuki et al.	
		FILING DATE February 23, 2004	GROUP 1614

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
21	Belardinelli et al.; "1,3-Dipropyl-8-[2-(5,6-Epoxy)Norbornyl]Xanthine, a Potent Specific and Selective A <sub>1</sub> Adenosine Receptor Antagonist in the Guinea Pig Heart and Brain and in DDT <sub>1</sub> MF-2 Cells," <i>Journal of Pharmacology and Experimental Therapeutics</i> . (1995); 275(3):1167-1176
22	Bertollet et al.; "Differential antagonism of cardiac actions of adenosine by theophylline," <i>Cardiovascular Research</i> . (1996); 32:839-845
23	Broadley, Kenneth J.; "Drugs modulating adenosine receptors as potential therapeutic agents for cardiovascular diseases," <i>Exp. Opin. Ther. Patents</i> . (2000); 10(11):1669-1692
24	Conlon et al.; "Effect of Intravenous Furosemide on Serum Theophylline Concentration," <i>Am. J. Hosp. Pharm.</i> (1981); 38:1345-7
25	Deckert et al.; "Adenosine A <sub>1</sub> receptors in human hippocampus: inhibition of [ <sup>3</sup> H]8-cyclopentyl-1,3-dipropylxanthine binding by antagonist drugs," <i>Neuroscience Letters</i> . (1993); 150:191-194
26	Daghfous et al.; "Fasting in Ramadan, the asthmatics and sustained-release theophylline," <i>Annals of Saudi Medicine</i> . (1994)
27	Gellai et al.; "CVT-124, a novel adenosine A <sub>1</sub> receptor antagonist with unique diuretic activity," <i>J. Pharmacol. Exp. Ther.</i> (1998); 286(3):1191-6
28	Giacola et al.; "Diuretics, Hypochloremia, and Outcome in Bronchopulmonary Dysplasia Patients," <i>Dev. Pharmacol. Ther.</i> (1991); 4:212-220
29	Gottlieb, Stephen S.; "Renal Effects of Adenosine A <sub>1</sub> -Receptor Antagonists in Congestive Heart Failure," <i>Drugs</i> . (2001); 61(10):1387-1393
30	Gottlieb et al.; "BG9719 (CVT-124), an Adenosine A <sub>1</sub> Receptor Antagonist, Protects Against the Decline in Renal Function Observed with Diuretic Therapy," <i>Circulation</i> . (2002); 105(11):1348-1353
31	Gottlieb et al.; "BG9719 (CVT-124), an A <sub>1</sub> -Adenosine Receptor Antagonist, Preserves Glomerular Filtration Rate and is an Active Natriuretic in Congestive Heart Failure Patients," <i>Circulation</i> . (1998); 98(17):105
32	Gottlieb et al.; "Effects of BG9719 (CVT-124), an A <sub>1</sub> -adenosine receptor antagonist, and furosemide on glomerular filtration rate and natriuresis in patients with congestive heart failure," <i>J. Am. Coll. Cardiol.</i> (2000); 35(1):56-9
33	Greenberg et al.; "An Oral Adenosine Antagonist, Preserves Renal Function, Improves Sodium Excretion and is Well Tolerated in Heart Failure Patients," <i>AHA Meeting Orlando, Florida. Poster/Abstract</i> (2003)
34	Ireland et al.; "FK-352 Adenosine A <sub>1</sub> Antagonist Diuretic Antihypertensive," <i>Drugs of the Future</i> . (1997); 22(4):350-352
35	Jackson, Edwin K.; "A <sub>1</sub> receptor antagonists as diuretic/natriuretic agents," <i>Drugs of the Future</i> . (2002)
36	Jackson et al.; "A <sub>1</sub> Receptor Blockade Induces Natriuresis with a Favorable Renal Hemodynamic Profile in SHHF/Mcc-fa(cp) Rats Chronically Treated with Salt and Furosemide," <i>Journal of Pharmacology and Experimental Therapeutics</i> . (2001); 299(3):978-987
37	Kobayashi et al.; "Diuretic Effects of KW-3902 (8-(Noradamantan-3-yl)-1,3-dipropylxanthine), a Novel Adenosine A <sub>1</sub> Receptor Antagonist, in Conscious Dogs," <i>Biol. Pharm. Bull.</i> (1993); 16(12):1231-1235
38	Lasser, Richard P. "The Treatment of Heart Failure in the 'Intractable' (Refractory) Phase," <i>Advances in Cardiopulmonary Diseases Volume III</i> , Banyai et al. Ed. (1996); 3:296-304
39	Lucas et al.; "Novel Effects of Selective Adenosine Subtype 1(A <sub>1</sub> ) Receptor Inhibition on Renal and Pulmonary Function in Heart Failure," <i>Surgical Forum</i> . (2001); 52:95-97
40	Lucas et al. "Effects of Adenosine Receptor Subtype A <sub>1</sub> on Ventricular and Renal Function," <i>Journal of Cardiovascular Pharmacology</i> . (2003); 38(4):618-624

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /LAR/ (04/09/2009)

EXAMINER /Leslie A. Royds/ (04/09/2009)	DATE CONSIDERED
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.	

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. NOCAR.007A	APPLICATION NO. 10/785,446
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Osuki et al.	
(USE SEVERAL SHEETS IF NECESSARY)		FILING DATE February 23, 2004	GROUP 1614

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
41	Lucas et al.; "Cardiorenal Effects of Adenosine Subtype 1(A <sub>1</sub> ) Receptor Inhibition in an Experimental Model of Heart Failure," <i>J. American College of Surgeons</i> : (2002); 194(5):603-609
42	Macolić et al., "Pharmacokinetics and interactions of digoxin theophylline and furosemide in diseases with edema," <i>International Journal of Clinical Pharmacology, Therapy and Toxicology</i> (1993);31(1):6-11
43	Mazkereth et al., "Effects of theophylline on renal function in premature infants," <i>American Journal of Perinatology</i> (1997);14(1):45-49
44	Merzon et al., "Effect of ephylline and lasix on the urea-excretion function of the kidneys in cardiac insufficiency," <i>Sov. Med.</i> (1971);34(5):119-24
45	Oberbauer et al.; "Natriuretic effect of adenosine A <sub>1</sub> -receptor blockade in rats," <i>Nephrology, Dialysis, Transplantation</i> . (1998);13(4):900-3
46	Patterson et al.; "Selective A <sub>1</sub> Adenosine Receptor Antagonism Improves Renal Function in Heart Failure," <i>Circulation</i> . (2000); 102(18):158
47	Pfister et al.; "Synthesis and Biological Evaluation of the Enantiomers of the Potent and Selective A <sub>1</sub> -Adenosine Antagonist 1,3-Dipropyl-8-[2-(5,6-epoxynorbonyl)]-xanthine," <i>J. Med. Chem.</i> (1997); 40(12):1773-1778
48	Pietrak A., "Intensive treatment of postoperative acute renal failure using furosemide and euphalling," <i>Pol. Przegl. Chir.</i> (1977);49(10A):1051-3
49	Schnackenberg et al.; "An orally active adenosine A <sub>1</sub> receptor antagonist, FK838, increases renal excretion and maintains glomerular filtration rate in furosemide-resistant rats," <i>British Journal of Pharmacology</i> . (2003); 139(8):1383-1388
50	Suzuki et al.; "Adenosine A <sub>1</sub> Antagonists. 2 Structure-Activity Relationships on Diuretic Activities and Protective Effects against Acute Renal Failure," <i>J. Med. Chem.</i> (1992); 35(16):3066-3075
51	Teraí et al.; "General pharmacology of the new non-xanthine adenosine A <sub>1</sub> receptor antagonist (+)-(R)-[(E)-3-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)acryloyl]-2-piperidine ethanol," <i>Arzneimittelforschung</i> . (1996);46(2):185-91
52	Ticho et al., "Renal Effects of BG9928, an A <sub>1</sub> Adenosine Receptor Antagonist, in Rats and Nonhuman Primates," <i>Drug Dev. Res.</i> (2003);58:486-492
53	Tongia et al., "Infraadditive diuretic efficacy of concurrent aminophylline and frusemide," <i>Indian J. Physiol. Pharmacol.</i> (1993);37(3):244-246
54	Watson et al., "Preferences of veterinarians for drugs to treat heart disease in dogs and cats," <i>Aust. Vet. J.</i> 72:401-402 (1995)
55	Welch, William J.; "Adenosine type 1 receptor antagonists in fluid retaining disorders," <i>Expert Opin. Investig. Drugs</i> . (2002); 11(11):1553-1562
56	Wilcox et al.; "Natriuretic and Diuretic Actions of a Highly Selective Adenosine A <sub>1</sub> Receptor Antagonist," <i>Journal of the American Society of Nephrology</i> ; (1999); 10(4):714-720
57	Wilcox et al.; "Adenosine A <sub>1</sub> receptor antagonists: A new class of diuretic with blockade of proximal reabsorption and tubuloglomerular feedback," <i>Wiener Klinische Wochenschrift</i> . (1997); 109(12-13):532
58	Wolff et al.; "CVT-124, a Novel and Selective A <sub>1</sub> -Adenosine Antagonist, is a Diuretic in Man with both Proximal and Distal Tubular Sites of Action," <i>Circulation</i> . (1996); 94(8):95
59	Wolff et al.; "Renal Effects of BG9719, a Specific A <sub>1</sub> Adenosine Receptor Antagonist, in Congestive Heart Failure," <i>Drug Development Research</i> . (1998); 45:166-171
60	Yao et al.; "The selective adenosine A <sub>1</sub> receptor antagonist KW-3902 prevents radiocontrast media-induced nephropathy in rats with chronic nitric oxide deficiency," <i>European Journal of Pharmacology</i> . (2001); 414:99-104
61	Yao et al., "Effect of the selective adenosine A <sub>1</sub> -receptor antagonist KW-3902 on lipopolysaccharide-induced reductions in urine volume and renal blood flow in anesthetized dogs," <i>Jpn. J. Pharmacol.</i> (2000); 84(3):310-5

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /LAR/ (04/09/2009)

EXAMINER /Leslie A. Royds/ (04/09/2009)	DATE CONSIDERED
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.	

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. NOCAR.007A	APPLICATION NO. 10/785,446
INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (USE SEVERAL SHEETS IF NECESSARY)		APPLICANT Otsuki et al.	
		FILING DATE February 23, 2004	GROUP 1614

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
62	Zanardo et al., "Methylxanthines Increase Renal Calcium Excretion in Preterm Infants," <i>Biol. Neonate.</i> (1995);68:169-174

S:\DOCS\SKT\SKT-5488.DOC: 092404

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /LAR/ (04/09/2009)

EXAMINER /Leslie A. Royds/ (04/09/2009)	DATE CONSIDERED
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.	